Index of Authors

ADACHI, N. *see* GATHERU, Z.

ADES, A. E., PARKER, S., GILBERT, R., TOOKEY, P. A., BERRY, T., HJELM, M., WILCOX, A. H., CUBITT, D. and PECKHAM, C. S. Maternal prevalence of toxoplasma antibody based on anonymous neonatal serosurvey: a geographical analysis, 127

ALESSANDRINI, A. *see* BINKIN, N.

ALTEKRUSE, S., KOEHLER, J., HICKMAN-BRENNER, F., TAUXE, R. and FERRIS, K. A comparison of *Salmonella enteritidis* phage types from egg-associated outbreaks and implicated laying flocks, 17

ALVES, V. M. L. *see* TEIXEIRA, L. A.

ALVIANO, C. S. *see* TEIXEIRA, L. A.

AMADEI, V. *see* BINKIN, N.

AMYES, S. G. B. *see* THOMSON, C. J.

ANGLUSTER, J. *see* TEIXEIRA, L. A.

ASTBURY, J. *see* KENNEDY, F. M.

BALLARD, R. *see* ISON, C. A.

BARBET, A. F. *see* YUNKER, C. E.

BARIGAZZI, G. *see* BINKIN, N.

BENCHETRIT, L. C. *see* TEIXEIRA, L. A.

BENJAMIN, J. *see* SKIRROW, M. B.

BENNETT, M. *see* HUNTER, J. E. B.

BERRY, T. *see* ADES, A. E.

BINKIN, N., SCUDERI, G., NOVACO, F., GIOVANARDI, G. L., PAGANELLI, G., FERRARI, G., CAPPELLI, O., RAVAGLIA, L., ZILIOLI, F., AMADEI, V., MAGLIANI, W., VIANI, I., RICCÒ, D., BORRINI, B., MAGRI, M., ALESSANDRINI, A., BURSI, G., BARIGAZZI, G., FANTASIA, M., FILETICI, E. and SALMASO, S. Egg related *Salmonella enteritidis*, Italy, 1991, 227

BITZAN, M., LUDWIG, K., KLEMT, M., KÖNIG, H., BÜREN, J. and MÜLLER-WIEFEL. The role of *Escherichia coli* O 157 infections in the classical (enteropathic) haemolytic uraemic syndrome: results of a Central European, multicentre study, 183

BLACKWELL, G. C. *see* SAADI, A. T.

BODIN, L. *see* SALIH, M. A. M.

BORRINI, B. *see* BINKIN, N.

BROWN, D. J., THRELFALL, E. J., HAMPTON, M. D. and ROWE, B. Molecular characterization of plasmids in *Salmonella enteritidis* phage types, 209

BROWN, J. *see* SMITH, H. V.

BROWN, T. J. and ISON, C. A. Non-radioactive ribotyping of *Haemophilus ducreyi* using a digoxigenin-labelled cDNA probe, 289

BUNDY, D. A. P. *see* GARNETT, G. P.

BURDESS, D. *see* HUDSON, S. J.

BÜREN, J. *see* BITZAN, M.

BURSI, G. *see* BINKIN, N.

CAPPELLI, O. *see* BINKIN, N.

CHART, H. and ROWE, B. Iron restriction and the growth of *Salmonella enteritidis*, 41

CHART, H. *see* THOMAS, A.

CHEASTY, T. *see* FROST, J. A.

CHEASTY, T. *see* KENNEDY, F. M.

CHEASTY, T. *see* RILEY, P. A.

CHEASTY, T. *see* THOMAS, A.

CHEASTY, T. *see* TOHKI, A. MOHAMMAD

CHENG, A. F. *see* LING, J. M.

CHIBA, S. *see* GATHERU, Z.

CHOWDRY, N., THRELFALL, E. J., ROWE, B. and STANLEY, J. Genotype analysis of faecal and blood isolates of *Salmonella dublin* from humans in England and Wales, 217

Clegg, A. *see* Paterson, R. A.
Cloare, A. *see* Rivault, C.
Codd, A. A. *see* Maguire, H. C. F.
Colville, A., Crowley, J., Dearden, D., Slack, R. C. B. and Lee, J. V. Outbreak of Legionnaires' disease at University Hospital, Nottingham. Epidemiology, microbiology and control, 105
Connaughton, I. D. *see* Hampson, D. J.
Cookson, B. D. *see* Hudson, S. J.
Coulson, J. C. *see* Smith, H. V.
Cox, M. J. *see* Garnett, G. P.
Coyle, P. V. *see* Hughes, M. S.
CPKDRC co-investigators *see* Rowe, P. C.
Crowley, J. *see* Colville, A.
Cubitt, D. *see* Ades, A. E.

Dangor, Y. *see* Ison, C. A.
Dearden, D. *see* Colville, A.
De Luca, G. *see* Stampi, S.
Dereure, J. *see* Dye, C.
Desselberger, U. *see* Nightingale, S.
Didier, J. M. *see* Garnett, G. P.
Döring, G., Hörz, M., Ortelt, J., Grupp, H. and Wolz, C. Molecular epidemiology of *Pseudomonas aeruginosa* in an intensive care unit, 427
Dye, C., Vidor, E. and Dereure, J. Serological diagnosis of leishmaniasis: on detecting infection as well as disease, 647

Elton, R. A. *see* Saadi, A. T.
Evans, M. R. *see* Gray, S. F.
Evans, S. J. The seasonality of canine births and human campylobacteriosis: a hypothesis, 267

Fantasia, M. *see* Binkin, N.
Ferrari, G. *see* Binkin, N.
Ferreira, B. T. *see* Teixeira, L. A.
Ferris, K. *see* Altekruse, S.
Figueiredo, A. M. S. *see* Teixeira, L. A.
Filetici, E. *see* Binkin, N.
Finch, R. G. *see* Venkatesan, P.
Fischer, G. D., Rinaldo, C. R., Gbadero, D., Kingsley, L. A., Ndimbie, O., Howard, C., Montemayor, P. C., Langer, A. and Sibolboro, W. Seroprevalence of HIV-1 and HIV-2 infection among children diagnosed with protein-calorie malnutrition in Nigeria, 373
Fitzgerald, N. *see* Singleton, G. R.
Flower, A. J. E. *see* Payton, C. D.
Fowles, A. *see* Riordan, T.
Fredlund, H. *see* Salih, M. A. M.
Freeman, R. *see* Hudson, S. J.
French, G. L. *see* Ling, J. M.
Frost, J. A., Cheasty, T., Thomas, A. and Rowe, B. Phage typing of Vero cytotoxin-producing *Escherichia coli* O 157 isolated in the United Kingdom: 1989–91, 469
Frost, J. A. *see* Thomas, A.

Gatheru, Z., Kobayashi, N., Adachi, N., Chiba, S., Muli, J., Ogaja, P., Nyangao, J., Kiplagat, E. and Tukei, P. M. Characterization of human rotavirus strains causing gastro-enteritis in Kenya, 419
Garnett, G. P., Cox, M. J., Bundy, D. A. P., Didier, J. M. and St Catharine, J. The age of infection with varicella-zoster virus in St Lucia, West Indies, 361
Gbadero, D. *see* Fischer, G. D.
Giammanco, G. *see* Nastasi, A.

GILBERT, R. J., MCLAUCHLIN, J. and VELANI, S. K. The contamination of pâté by *Listeria monocytogenes* in England and Wales in 1989 and 1990, 543
GILBERT, R. J. *see* WIENEKE, A. A.
GILBERT, R. *see* ADES, A. E.
GIOVANARDI, G. L. *see* BINKIN, N.
GIRDWOOD, R. W. A. *see* GRIMASON, A. M.
GIRDWOOD, R. W. A. *see* SMITH, H. V.
GOH, K. T. *see* YEW, F. S.
GÓMEZ, E. *see* VINDEL, A.
GRANGE, J. M. *see* YATES, M. D.
GRAY, S. F. and EVANS, M. R. Dose-response in an outbreak of non-bacterial food poisoning traced to a mixed seafood cocktail, 583
GREY, P. A. and KIROV, S. M. Adherence to HEp-2 cells and enteropathogenic potential of *Aeromonas* spp., 279
GRIMASON, A. M., SMITH, H. V., PARKER, J. F. W., JACKSON, M. H., SMITH, P. G. and GIRDWOOD, R. W. A. Occurrence of *Giardia* sp. cysts and *Cryptosporidium* sp. oocysts in faeces from public parks in the west of Scotland, 641
GRUPP, H. *see* DÖRING, G.

HAMPSON, D. J., WOODWARD, J. M. and CONNAUGHTON, I. D. Genetic analysis of *Escherichia coli* from porcine postweaning diarrhoea, 575
HAMPSON, D. J. *see* PATERSON, R. A.
HAMPTON, M. D. *see* BROWN, D. J.
HART, C. A. *see* HUNTER, J. E. B.
HART, C. A. *see* MAMUN, K. Z.
HENLEY, A. *see* HUMPHREY, T. J.
HICKMAN-BRENNER, F. *see* ALTEKRUSE, S.
HICKMAN-BRENNER, F. W. *see* VUGIA, D. J.
HINSHAW, V. *see* WEBSTER, R. G.
HOEY, E. M. *see* HUGHES, M. S.
HJELM, M. *see* ADES, A. E.
HORAN, J. M. *see* LUBY, S. P.
HÖRZ, M. *see* DÖRING, G.
HOWARD, C. *see* FISCHER, G. D.
HUDSON, S. J., FREEMAN, R., BURDESS, D. and COOKSON, B. D. Crystal violet reactions of *Staphylococcus aureus* strains colonizing infants in the first six weeks, 79
HUGHES, M. S., HOEY, E. M. and COYLE, P. V. A nucleotide sequence comparison of coxsackievirus B4 isolates from aquatic samples and clinical specimens, 389
HUGOSSON, S. *see* SALIH, M. A. M.
HUMPHREY, T. J., HENLEY, A. and LANNING, D. G. The colonization of broiler chickens with *Campylobacter jejuni*: some epidemiologal investigations, 601
HUMPHREY, T. J. *see* RIORDAN, T.
HUNTER, J. E. B., HART, C. A., SHELLEY, J. C., WALTON, J. R. and BENNETT, M. Human isolates of apramycin-resistant *Escherichia coli* which contain the genes for the AAC(3)IV enzyme, 253

ISON, C. A., ROOPE, N. S., DANGOR, Y., RADEBE, F. and BALLARD, R. Antimicrobial susceptibilities and serotyping of *Neisseria gonorrhoeae* in southern Africa: influence of geographical source of infection, 297
ISON, C. A. *see* BROWN, T. J.

JACKSON, M. H. *see* GRIMASON, A. M.
JAMES, V. S. *see* SAADI, A. T.
JIWA, S. F. H. *see* KAZWALA, R. R.
JONES, D. M. *see* SKIRROW, M. B.
JONES, J. L. *see* LUBY, S. P.

KAM, K. M. *see* LING, J. M.

KARVONEN, M., TUOMILEHTO, J., PITKÄNIEMI, J. and SAIKKU, P. The epidemic cycle of *Chlamydia pneumoniae* infection in eastern Finland, 1972–1987, 349
KAWAOKA, Y. *see* SHARP, G. B.
KAZWALA, R. R., JIWA, S. F. H. and NKYA, A. E. The role of management systems in the epidemiology of thermophilic campylobacters among poultry in Eastern zone of Tanzania, 273
KENNEDY, F. M., ASTBURY, J., NEEDHAM, J. R. and CHEASTY, T. Shigellosis due to occupational contact with non-human primates, 247
KINGSLEY, L. A. *see* FISCHER, G. D.
KIPLAGAT, E. *see* GATHERU, Z.
KIROV, S. M. *see* GREY, P. A.
KLEMT, M. *see* BITZAN, M.
KOBAYASHI, N. *see* GATHERU, Z.
KOEHLER, J. *see* ALTEKRUSE, S.
KÖNIG, H. *see* BITZAN, M.

LANGER, A. *see* FISCHER, G. D.
LANNING, D. G. *see* HUMPHREY, T. J.
LEE, J. V. *see* COLVILLE, A.
LE GUYADER, A. *see* RIVAULT, C.
LIM, Y. S. *see* YEW, F. S.
LING, J. M., SHAW, P. C., KAM, K. M., CHENG, A. F. and FRENCH, G. L. Molecular studies of plasmids of multiply-resistant *Shigella* spp. in Hong Kong, 437
LIOR, H. *see* ORRBINE, E.
LUBY, S. P., JONES, J. L. and HORAN, J. M. A large salmonellosis outbreak associated with a frequently penalized restaurant, 31
LUDWIG, K. *see* BITZAN, M.

MACFARLANE, J. T. *see* VENKATESAN, P.
MCGUIRE, T. C. *see* YUNKER, C. E.
MACKAY, V. E. *see* MAGUIRE, H. C. F.
MCLAINE, P. N. *see* BOWE, P. C.
MCLAUCHLIN, J. *see* GILBERT, R. J.
MAGLIANI, W. *see* BINKIN, N.
MAGRI, M. *see* BINKIN, N.
MAGUIRE, H. C. F., CODD, A. A., MACKAY, V. E., ROWE, B. and MITCHELL, E. A large outbreak of human salmonellosis traced to a local pig farm, 239
MAHAN, S. M. *see* YUNKER, C. E.
MAMMINA, C. *see* NASTASI, A.
MAMUM, K. Z., SHEARS, P. and HART, C. A. The prevalence and genetics of resistance to commonly used antimicrobial agents in faecal Enterobacteriaceae from children in Bangladesh, 447
MARPLES, R. R. and WIENEKE, A. A. Enterotoxins and toxic-shock syndrome toxin-1 in non-enteric staphylococcal disease, 477
MARTÍN-BOURGON, C. *see* VINDEL, A.
MARŤÍN DE NICOLÁS, MM. *see* VINDEL, A.
MISHU, B. *see* VUGIA, D. J.
MITCHELL, E. *see* MAGUIRE, H. C. P.
MONTEMAYOR, P. C. *see* FISCHER, G. D.
MONTO, A. S. and SULLIVAN, K. M. Acute respiratory illness in the community. Frequency of illness and the agents involved, 145
MORRIS, G. P. *see* SMITH, H. V.
MULI, J. *see* GATHERU, Z.
MÜLLER-WIEFEL, D. E. *see* BITZAN, M.
MÜLLER, W. J. *see* SINGLETON, G. R.

NAGAO, P. E. *see* TEIXEIRA, L. A.
NASTASI, A., MAMMINA, C. and VILLAFRATE, M. R. Epidemiology of *Salmonella typhimurium*: ribosomal DNA analysis of strands from human and animal sources, 553

Nastasi, A., Pignato, S., Mammina, C. and Giammanco, G. rRNA gene restriction patterns and biotypes of *Shigella sonnei*, 23
Ndimbie, O. *see* Fischer, G. D.
Needham, J. R. *see* Kennedy, F. M.
Nightingale, S., Orton, D., Ratcliffe, D., Skidmore, S., Tosswill, J. and Desselberger, U. Antenatal survey for the seroprevalence of HTLV-1 infections in the West Midlands, England, 379
Nkya, A. E. *see* Kazwala, R. R.
Novaco, F. *see* Binkin, N.
Nyangao, J. *see* Gatheru, Z.

Ogaja, P. *see* Gatheru, Z.
Olcén, P. *see* Salih, M. A. M.
Orrbine, E. *see* Rowe, P. C.
Ortelt, J. *see* Döring, G.
Orton, D. *see* Nightingale, S.

Paganelli, G. *see* Binkin, N.
Parker, M. H. *see* Grimason, A. M.
Parker, S. *see* Ades, A. E.
Paterson, R. A., Robertson, I. D., Sanders, R. C., Siba, P. M., Clegg, A. and Hampson, D. J. The carriage of *Streptococcus suis* type 2 by pigs in Papua New Guinea, 71
Payton, C. D., Scarisbrick, D. A., Sikotra, S. and Flower, A. J. E. Vaccination against hepatitis B: comparison of intradermal and intramuscular administration of plasma derived and recombinant vaccines, 177
Peckham, C. S. *see* Ades, A. E.
Peiris, J. S. M. *see* Tokhi, A. Mohammad
Phillips, I. *see* Riley, P. A.
Pignato, S. *see* Nastasi, A.
Pitkäniemi, P. *see* Karvonen, M.
Preston, N. W. Corresponding type-specificity of vibriocidal and agglutinating activities of *Vibrio cholerae* antisera: relevance to vaccine immunogenicity, 489

Radebe, F. *see* Ison, C. A.
Ratcliffe, D. *see* Nightingale, S.
Ravaglia, L. *see* Binkin, N.
Raza, M. W., Ogilvie, M. M., Blackwell, C. C., Stewart, J., Elton, R. A. and Weir, D. M. Effect of respiratory syncytial virus infection on binding of *Neisseria meningitidis* and *Haemophilus influenzae* type b to a human epithelial cell line (HEp-2), 339
Raza, M. W. *see* Saadi, A. T.
Riccò, D. *see* Binkin, N.
Riley, P. A., Threlfall, E. J., Cheasty, T., Wooldridge, K. G., Williams, P. H. and Phillips, I. Occurrence of F_1me plasmids in multiply antimicrobial-resistant *Escherichia coli* isolated from urinary tract infection, 459
Rinaldo, C. R. *see* Fischer, G. D.
Riordan, T., Humphrey, T. J. and Fowles, A. A point source of campylobacter infection related to bird-pecked milk, 261
Rivault, C., Cloarec, A. and Le Guyader, A. Bacterial load of cockroaches in relation to urban environment, 317
Roberts, D. *see* Wieneke, A. A.
Robertson, I. D. *see* Paterson, R. A.
Roope, N. S. *see* Ison, C. A.
Rowe, B. *see* Brown, D. J.
Rowe, B. *see* Chart, H.
Rowe, B. *see* Chowdry, N.
Rowe, B. *see* Frost, J. A.
Rowe, B. *see* Maguire, H. C. F.
Rowe, B. *see* Thomas, A.
Rowe, P. C., Orrbine, E., Lior, H., Wells, G. A., McLaine, P. N. and the CPKDRC co-

investigators. A prospective study of exposure to verotoxin-producing *Escherichia coli* among Canadian children with haemolytic uraemic syndrome, 1

ROWE, P. C., ORRBINE, E., LIOR, H., WELLS, G. A., MCLAINE, P. N. and the CPKDRC co-investigators. Diarrhoea in close contacts as a risk factor for childhood haemolytic uraemic syndrome, 9

RURANGIRWA, F. R. *see* YUNKER, C. E.

SAADI, A. T., BLACKWELL, C. C., RAZA, M. W., JAMES, V. S., STEWART, J., ELTON, R. A. and WEIR, D. M. Factors enhancing adherence of toxigenic *Staphylococcus aureus* to epithelial cells and their possible role in sudden infant death syndrome, 507

SÁEZ-NIETO, J. A. *see* VINDEL, A.

ST CATHARINE, J. *see* GARNETT, G. P.

SAIKKU, P. *see* KARVONEN, M.

SALIH, M. A. M., FREDLUND, H., HUGOSSON, S., BODIN, L. and OLCÉN, P. Different seroprevalences of antibodies against *Neiseria meningitidis* serogroup A and *Haemophilus influenzae* type b in Sudanese and Swedish children, 307

SALMASO, S. *see* BINKIN, N.

SANDERS, R. C. *see* PATERSON, R. A.

SCARISBRICK, D. A. *see* PAYTON, C. D.

SCOTLAND, S. M. *see* TOKHI, A. MOHAMMAD

SCUDERI, G. *see* BINKIN, N.

SHARP, G. B., KAWAOKA, Y., WRIGHT, S. M., TURNER, B., HINSHAW, V. and WEBSTER, R. G. Wild ducks are the reservoir for only a limited number of influenza A subtypes, 161

SHAW, P. C. *see* LING, J. M.

SHEARS, P. *see* MAMUN, K. Z.

SHELLAM, G. R. *see* SINGLETON, G. R.

SHELLEY, J. C. *see* HUNTER, J. E. B.

SIBA, P. M. *see* PATERSON, R. A.

SIBOLBORO, W. *see* FISCHER, G. D.

SIKOTRA, S. *see* PAYTON, C. D.

SILVA-FILHO, F. C. *see* TEIXEIRA, L. A.

SINGLETON, G. R., SMITH, A. L., SHELLAM, G. R., FITZGERALD, N. and MÜLLER, W. J. Prevalence of viral antibodies and helminths in field populations of house mice (*Mus domesticus*) in southeastern Australia, 399

SKIDMORE, S. *see* NIGHTINGALE, S.

SKIRROW, M. B., JONES, D. M., SUTCLIFFE, E. and BENJAMIN, J. Campylobacter bacteraemia in England and Wales, 1981–91, 567

SLACK, R. C. B. *see* COLVILLE, A.

SMITH, A. L. *see* SINGLETON, G. R.

SMITH, G. R. and THORNTON, E. A. Effect of disturbance of the gastrointestinal microflora on the faecal excretion of *Fusobacterium necrophorum* biovar A, 333

SMITH, G. R. and THORNTON, E. A. Pathogenicity of *Fusobacterium necrophorum* strains from man and animals, 499

SMITH, G. R. and THORNTON, E. A. The prevalence of *Fusobacterium necrophorum* biovar A in animal faeces, 327

SMITH, H. R. *see* THOMAS, A.

SMITH, H. R. *see* TOKHI, A. MOHAMMAD

SMITH, H. V. *see* GRIMASON, A. M.

SMITH, H. V., BROWN, J., COULSON, J. C., MORRIS, G. P. and GIRDWOOD, R. W. A. Occurrence of oocysts of *Cryptosporidium* sp. in *Larus* spp. gulls, 135

SMITH, M. *see* VUGIA, D. J.

SMITH, P. G. *see* GRIMASON, A. M.

SOLE, K. *see* VENKATESAN, P.

STAMPI, S., VAROLI, O., ZANETTI, F. and DE LUCA, G. *Arcobacter cryaerophilus* and thermophilic campylobacters in a sewage treatment plant in Italy: two secondary treatments compared, 633

STANLEY, J. *see* CHOWDRY, N.

STEWART, J. *see* SAADI, A. T.

Sullivan, K. M. *see* Monto, A. S.
Sutcliffe, E. *see* Skirrow, M. B.

Tang, C. *see* Venkatesan, P.
Tauxe, R. *see* Altekruse, S.
Tauxe, R. V. *see* Vugia, D. J.
Tavris, D. R. *see* Vugia, D. J.
Teixeira, L. A., Figueiredo, A. M. S., Ferreira, B. T., Alves, V. M. L., Nagao, P. E., Alviano, C. S., Angluster, J., Silva-Filho, F. C. and Benchetrit, L. C. Sialic acid content and surface hydrophobicity of group B streptococci, 87
Thomas, A., Chart, H., Cheasty, T., Smith, H. R., Frost, J. A. and Rowe, B. Vero cytotoxin-producing *Escherichia coli*, particularly serogroup O 157, associated with human infections in the United Kingdom, 591
Thomas, A. *see* Frost, J. A.
Thomson, C. J. and Amyes, S. G. B. Molecular epidemiology of the plasmid-encoded TEM-1 β-lactamase in Scotland, 117
Thornton, E. A. *see* Smith, G. R.
Threlfall, E. J. *see* Brown, D. J.
Threlfall, E. J. *see* Chowdry, N.
Threlfall, E. J. *see* Riley, P. A.
Tokhi, A. Mohammad, Peiris, J. S. M., Scotland, S. M., Willshaw, G. A., Smith, H. R. and Cheasty, T. A longitudinal study of Vero cytotoxin producing *Escherichia coli* in cattle calves in Sri Lanka, 197
Tookey, P. A. *see* Ades, A. E.
Tosswill, J. *see* Nightingale, S.
Trincado, P. *see* Vindel, A.
Tukei, P. M. *see* Gatheru, Z.
Tuomilehto, J. *see* Karvonen, M.
Turner, B. *see* Sharp, G. B.

Varoli, O. *see* Stampi, S.
Velani, S. K. *see* Gilbert, R. J.
Venkatesan, P., Sole, K., Tang, C., MacFarlane, J. T. and Finch, R. G. Oropharyngeal production of pneumococcal capsular antigen and the potential for contamination of exporated sputum samples in pneumococcal pneumonia, 621
Viani, T. *see* Binkin, N.
Vidor, E. *see* Dye, C.
Villafrate, M. R. *see* Nastasi, A.
Vindel, A., Trincado, P., Martín de Nicolás, MM., Gómez, E., Martín-Bourgon, C. and Sáez-Nieto, J. A. Hospital infections in Spain. I. *Staphylococcus aureus* (1978–91), 533
Vugia, D. J., Mishu, B., Smith, M., Tavris, D. R., Hickman-Brenner, F. W. and Tauxe, R. V. *Salmonella enteritidis* outbreak in a restaurant chain: the continuing challenges of prevention, 49

Waghela, S. D. *see* Yunker, C. E.
Walton, J. R. *see* Hunter, J. E. B.
Wassink, L. A. *see* Yunker, C. E.
Weir, D. M. *see* Saadi, A. T.
Wells, G. *see* Rowe, P. C.
Wieneke, A. A. *see* Marples, R. R.
Wieneke, A. A., Roberts, D. and Gilbert, R. J. Staphylococcal food poisoning in the United Kingdom, 1969–90, 519
Wilcox, A. H. *see* Ades, A. E.
Williams, P. H. *see* Riley, P. A.
Willshaw, G. A. *see* Tokhi, A. Mohammad
Wolz, C. *see* Döring, G.
Woodward, J. M. *see* Hampson, D. J.
Wooldridge, K. G. *see* Riley, P. A.

WRIGHT, S. M. *see* SHARP, G. B.

YATES, M. D. and GRANGE, J. M. A bacteriological survey of tuberculosis due to the human tubercle bacillus (*Mycobacterium tuberculosis*) in South-East England: 1984–91, 609

YEW, F. S., GOH, K. T. and LIM, Y. S. Epidemiology of typhoid fever in Singapore, 63

YUNKER, C. E., MAHAN, S. M., WAGHELA, S. D., MCGUIRE, T. C., RURANGIRWA, F. R., BARBET, A. F. and WASSINK, L. A. Detection of *Cowdria ruminantium* by means of a DNA probe, pCS20 in infected bont ticks, *Amblyomma hebraeum*, the major vector of heartwater in Southern Africa, 95

ZANETTI, F. *see* Stampi, S.

ZILIOLI, F. *see* BINKIN, N.

Index of Subjects

Aeromonas, adherence to HEp-2 cells and enteropathogenic potential of, spp., 279
Arcobacter cryaerophilus and thermophilic campylobacters in a sewage treatment plant in Italy: two secondary treatments compared, 633

β-lactamase, molecular epidemiology of the plasmid-encoded TEM-1, in Scotland, 117

Campylobacter, a point source outbreak of, infection related to bird-pecked milk, 261
Campylobacter bacteraemia in England and Wales, 1981–91, 567
Campylobacteriosis, the seasonality of canine births and human: a hypothesis, 267
Campylobacter jejuni, the colonization of broiler chickens with: some epidemiological investigations, 601
Campylobacters, *Arcobacter cryaerophilus* and thermophilic, in a sewage treatment plant in Italy: two secondary treatments compared, 633
Campylobacters, the role of management systems in the epidemiology of thermophilic, among poultry in Eastern zone of Tanzania, 273
Chlamydia pneumoniae, the epidemic cycle of, infection in eastern Finland, 1972–1987, 349
Cockroaches, bacterial load of, in relation to urban environment, 317
Cowdria ruminantium, detection of, by means of a DNA probe, pCS20 in infected bont ticks, *Amblyomma hebraeum*, the major vector of heartwater in Southern Africa, 95
Coxsackievirus B4, a nucleotide sequence comparison of, isolates from aquatic samples and clinical specimens, 389
Cryptosporodium sp., occurrence of *Giardia* sp. cysts and, oocysts in faeces from public parks in the west of Scotland, 641
Cryptosporidium sp., occurrence of oocysts of, in *Larus* spp. gulls, 135

Enterobacteriaceae, the prevalence and genetics of resistance to commonly used antimicrobial agents in faecal, from children in Bangladesh, 447
Escherichia coli, a longitudinal study of Vero cytotoxin producing, in cattle calves in Sri Lanka, 197
Escherichia coli, a prospective study of exposure to verotoxin-producing, among Canadian children with haemolytic uraemic syndrome, 1
Escherichia coli, genetic analysis of, from porcine post-weaning diarrhoea, 575
Escherichia coli, human isolates of apramycin-resistant, which contain the genes for the AAC(3)IV enzyme, 253
Escherichia coli O 157, the role of, infections in the classical (enteropathic) haemolytic uraemic syndrome: results of a Central European, multicentre study, 183
Escherichia coli, occurrence of F_1*me* plasmids in multiply antimicrobial-resistant, isolated from urinary tract infection, 459
Escherichia coli, vero cytotoxin-producing, particularly serogroup O 157, associated with human infections in the United Kingdom: 1989–91, 591
Escherichia coli, phage typing of Vero cytotoxin-producing, O 157 isolated in the United Kingdom: 1989–91, 469

Food poisoning, dose-response in an outbreak of non-bacterial, traced to a mixed seafood cocktail, 583
Fusobacterium necrophorum, effect of disturbance of the gastrointestinal microflora on the faecal excretion of, biovar A, 333
Fusobacterium necrophorum, pathogenicity of, strains from man and animals, 499
Fusobacterium necrophorum, the prevalence of, biovar A in animal faeces, 327

Giardia sp., occurrence of, cysts and *Cryptosporodium* sp. oocysts in faeces from public parks in the west of Scotland, 641
Group B streptococci, sialic acid content and surface hydrophobicity of, 87

Haemolytic uraemic syndrome, a prospective study of exposure to verotoxin-producing *Escherichia coli* among Canadian children with, 1
Haemolytic uraemic syndrome, diarrhoea in close contacts as a risk factor for childhood, 9
Haemolytic uraemic syndrome, the role of *Escherichia coli* O 157 infections in the classical (enteropathic): results of a Central European, multicentre study, 183
Haemophilus ducreyi, non-radioactive ribotyping of, using a digoxigenin-labelled cDNA probe, 289
Haemophilus influenzae, different seroprevalences of antibodies against *Neisseria meningitidis* serogroup A and, type b in Sudanese and Swedish children, 307
Haemophilus influenzae, effect of respiratory syncytial virus infection on binding of *Neisseria meningitidis* and, type b to a human epithelial cell line (HEp-2), 339
Heartwater, detection of *Cowdria ruminantium* by means of a DNA probe, pCS20 in infected bont ticks, *Amblyomma hebraeum*, the major vector of, in Southern Africa, 95
Hepatitis B, vaccination against, comparison of intradermal and intramuscular administration of plasma derived and recombinant vaccines, 177
HIV-1, seroprevalence of, HIV-2 infection among children diagnosed with protein-calorie malnutrition in Nigeria, 373
HIV-2, seroprevalence of HIV-1 and, infection among children diagnosed with protein-calorie malnutrition in Nigeria, 373
HTLV-1, antenatal survey for the seroprevalence of, infections in the West Midlands, England, 379

Influenza A, wild ducks are the reservoir for only a limited number of, subtypes, 161

Legionnaires' disease, outbreak of, at University Hospital, Nottingham. Epidemiology, microbiology and control, 105
Leishmaniasis, serological diagnosis of: on detecting infection as well as disease, 647
Listeria monocytogenes, the contamination of pâté by, in England and Wales in 1989 and 1990, 543

Mice, prevalence of viral antibodies and helminths in field populations of house, (*Mus domesticus*) in southeastern Australia, 399
Mycobacterium tuberculosis, a bacteriological survey of tuberculosis due to the human tubercle bacillus, in South-East England, 609

Neisseria gonorrhoeae, antimicrobial susceptibilities and serotyping of, in southern Africa: influence of geographical source of infection, 297
Neisseria meningitidis, different seroprevalences of antibodies against, serogroup A and *Haemophilus influenzae* type b in Sudanese and Swedish children, 307
Neisseria meningitidis, effect of respiratory syncytial virus infection on binding of, and *Haemophilus influenzae* type b to a human epithelial cell line (HEp-2), 339

Pneumococcal, oropharyngeal production of, capsular antigen and the potential for contamination of expectorated sputum samples in pneumococcal pneumonia, 621
Pseudomonas aeruginosa, molecular epidemiology of, in an intensive care unit, 427

Respiratory illness, acute, in the community. Frequency of illness and the agents involved, 145
Rotavirus, characterization of human, causing gastroenteritis in Kenya, 419

Salmonella dublin, genotype analysis of faecal and blood isolates of, from humans in England and Wales, 217
Salmonella enteritidis, a comparison, phage types from egg-associated outbreaks and implicated laying flocks, 17
Salmonella enteritidis, egg-related, Italy, 1991, 227
Salmonella typhimurium, epidemiology of: ribosomal DNA analysis of strains from human and animal sources, 553
Salmonella enteritidis, iron restrictions and the growth of, 41
Salmonella enteritidis, molecular characterization of plasmids in, phage types, 209

Salmonella enteritidis outbreak in a restaurant chain: the continuing challenges of prevention, 49
Salmonellosis, a large, outbreak associated with a frequently penalized restaurant, 31
Shigella, molecular studies of plasmids of multiply-resistant, spp. in Hong Kong, 437
Shigella sonnei, rRNA gene restriction patterns and biotypes of, 23
Shigellosis due to occupational contact with non-human primates, 247
Staphylococcal, enterotoxins and toxic-shock syndrome toxin-1 in non-enteric, disease, 477
Staphylococcal food poisoning in the United Kingdom, 1969–90, 519
Staphylococcus aureus, crystal violet reactions of, strains colonizing infants in the first six weeks, 79
Staphylococcus aureus, factors enhancing adherence of toxigenic, to epithelial cells and their possible role in sudden infant death syndrome, 507
Staphylococcus aureus, hospital infections in Spain. I., (1978–91), 533
Streptococcus suis, the carriage of, type 2 by pigs in Papua New Guinea, 71

Toxoplasma, maternal prevalence of, antibody based on anonymous neonatal serosurvey: a geographical analysis, 127
Typhoid fever, epidemiology of, in Singapore, 63

Varicella-zoster, the age of infection with, virus in St Lucia, West Indies, 361
Vibrio cholerae, corresponding type-specificity of vibriocidal and agglutinating activities of, antisera: relevance to vaccine immunogenicity, 489